

Certification of Matrix Interpretations in Coq

Adam Koprowski and Hans Zantema

Eindhoven University of Technology
Department of Mathematics and Computer Science

29 June 2007
WST

1 CoLoR

2 Formalization of matrix interpretations

- Introduction to matrix interpretations
- Monotone algebras
- Matrices
- Matrix interpretations

3 Certified competition

1 CoLoR

2 Formalization of matrix interpretations

- Introduction to matrix interpretations
- Monotone algebras
- Matrices
- Matrix interpretations

3 Certified competition

CoLoR

CoLoR: Coq Library on Rewriting and Termination.

Goal: certification of termination proofs produced by various termination provers.

How to do that? CoLoR approach:

- TPG: common format for termination proofs.
- Tools output proofs in TPG format.
- CoLoR: a Coq library of results on termination.
- Rainbow: a tool for translation from proofs in TPG format to Coq proofs, using results from CoLoR.

CoLoR

CoLoR: Coq Library on Rewriting and Termination.

Goal: certification of termination proofs produced by various termination provers.

How to do that? CoLoR approach:

- TPG: common format for termination proofs.
- Tools output proofs in TPG format.
- CoLoR: a Coq library of results on termination.
- Rainbow: a tool for translation from proofs in TPG format to Coq proofs, using results from CoLoR.

CoLoR

CoLoR: Coq Library on Rewriting and Termination.

Goal: certification of termination proofs produced by various termination provers.

How to do that? CoLoR approach:

- **TPG: common format for termination proofs.**
- Tools output proofs in TPG format.
- CoLoR: a Coq library of results on termination.
- **Rainbow**: a tool for translation from proofs in TPG format to Coq proofs, using results from CoLoR.

CoLoR

CoLoR: Coq Library on Rewriting and Termination.

Goal: certification of termination proofs produced by various termination provers.

How to do that? CoLoR approach:

- TPG: common format for termination proofs.
- Tools output proofs in TPG format.
- CoLoR: a Coq library of results on termination.
- Rainbow: a tool for translation from proofs in TPG format to Coq proofs, using results from CoLoR.

CoLoR

CoLoR: Coq Library on Rewriting and Termination.

Goal: certification of termination proofs produced by various termination provers.

How to do that? CoLoR approach:

- TPG: common format for termination proofs.
- Tools output proofs in TPG format.
- CoLoR: a Coq library of results on termination.
- Rainbow: a tool for translation from proofs in TPG format to Coq proofs, using results from CoLoR.

CoLoR


CoLoR: Coq Library on Rewriting and Termination.

Goal: certification of termination proofs produced by various termination provers.


How to do that? CoLoR approach:

- TPG: common format for termination proofs.
- Tools output proofs in TPG format.
- CoLoR: a Coq library of results on termination.
- Rainbow: a tool for translation from proofs in TPG format to Coq proofs, using results from CoLoR.


CoLoR architecture overview



CoLoR architecture overview



CoLoR architecture overview



1 CoLoR

2 Formalization of matrix interpretations

- Introduction to matrix interpretations
- Monotone algebras
- Matrices
- Matrix interpretations

3 Certified competition

Example

z086.trs

$a(a(x)) \rightarrow c(b(x)), \quad b(b(x)) \rightarrow c(a(x)), \quad c(c(x)) \rightarrow b(a(x))$

Matrix interpretation for z086.trs

$$a(x) = \begin{bmatrix} 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 2 \\ 0 & 1 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 0 \\ 2 \\ 0 \end{bmatrix}$$

$$b(x) = \begin{bmatrix} 1 & 1 & 0 & 0 \\ 0 & 2 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 1 \\ 0 \\ 0 \end{bmatrix}$$

$$c(x) = \begin{bmatrix} 1 & 0 & 0 & 2 \\ 0 & 0 & 1 & 1 \\ 0 & 1 & 0 & 2 \\ 0 & 0 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 0 \\ 1 \\ 0 \end{bmatrix}$$

Example

z086.trs

$a(a(x)) \rightarrow c(b(x)), \quad b(b(x)) \rightarrow c(a(x)), \quad c(c(x)) \rightarrow b(a(x))$

Matrix interpretation for z086.trs

$$a(x) = \begin{bmatrix} 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 2 \\ 0 & 1 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 0 \\ 2 \\ 0 \end{bmatrix}$$

$$b(x) = \begin{bmatrix} 1 & 1 & 0 & 0 \\ 0 & 2 & 0 & 1 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 1 \\ 0 \\ 0 \end{bmatrix}$$

$$c(x) = \begin{bmatrix} 1 & 0 & 0 & 2 \\ 0 & 0 & 1 & 1 \\ 0 & 1 & 0 & 2 \\ 0 & 0 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 0 \\ 1 \\ 0 \end{bmatrix}$$

Termination proof for z086.trs

$$a(a(x)) = \begin{bmatrix} 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix} \left(\begin{bmatrix} 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 0 \\ 2 \\ 0 \end{bmatrix} \right) + \begin{bmatrix} 0 \\ 0 \\ 2 \\ 0 \end{bmatrix}$$

$$c(b(x)) = \begin{bmatrix} 1 & 0 & 0 & 2 \\ 0 & 0 & 1 & 1 \\ 0 & 1 & 0 & 2 \\ 0 & 0 & 0 & 0 \end{bmatrix} \left(\begin{bmatrix} 1 & 1 & 0 & 0 \\ 0 & 2 & 0 & 1 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 1 \\ 0 \\ 0 \end{bmatrix} \right) + \begin{bmatrix} 0 \\ 0 \\ 1 \\ 0 \end{bmatrix}$$

Termination proof for z086.trs

$$\begin{aligned}
 a(a(x)) &= \begin{bmatrix} 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 \end{bmatrix} \left(\begin{bmatrix} 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 0 \\ 2 \\ 0 \end{bmatrix} \right) + \begin{bmatrix} 0 \\ 0 \\ 2 \\ 0 \end{bmatrix} \\
 &= \begin{bmatrix} 1 & 1 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 0 & 2 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 0 \\ 2 \\ 0 \end{bmatrix} \\
 c(b(x)) &= \begin{bmatrix} 1 & 0 & 0 & 2 \\ 0 & 0 & 1 & 1 \\ 0 & 1 & 0 & 2 \\ 0 & 0 & 0 & 0 \end{bmatrix} \left(\begin{bmatrix} 1 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 2 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 1 \\ 0 \\ 0 \end{bmatrix} \right) + \begin{bmatrix} 0 \\ 0 \\ 1 \\ 0 \end{bmatrix} \\
 &= \begin{bmatrix} 1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 2 & 0 & 0 \end{bmatrix} x + \begin{bmatrix} 0 \\ 0 \\ 2 \\ 0 \end{bmatrix}
 \end{aligned}$$

Definition (An extended weakly monotone Σ -algebra)

A *weakly monotone Σ -algebra* $(A, [\cdot], >, \succsim)$ is a Σ -algebra $(A, [\cdot])$ equipped with two binary relations $>, \succsim$ on A such that:

- $>$ is well-founded;
- $> \cdot \succsim \subseteq >$;
- for every $f \in \Sigma$ the operation $[f]$ is monotone with respect to $>$.

Theorem

Let $\mathcal{R}, \mathcal{R}'$ be TRSs over a signature Σ , $(A, [\cdot], >, \succsim)$ be an extended weakly monotone Σ -algebra such that:

- $[\ell, \alpha] \succsim [r, \alpha]$ for every rule $\ell \rightarrow r$ in \mathcal{R} , for all $\alpha : X \rightarrow A$ and
- $[\ell, \alpha] > [r, \alpha]$ for every rule $\ell \rightarrow r$ in \mathcal{R}' and for all $\alpha : X \rightarrow A$.

Then $\text{SN}(\mathcal{R})$ implies $\text{SN}(\mathcal{R} \cup \mathcal{R}')$.

Definition (An extended weakly monotone Σ -algebra)

A *weakly monotone Σ -algebra* $(A, [\cdot], >, \gtrsim)$ is a Σ -algebra $(A, [\cdot])$ equipped with two binary relations $>, \gtrsim$ on A such that:

- $>$ is well-founded;
- $> \cdot \gtrsim \subseteq >$;
- for every $f \in \Sigma$ the operation $[f]$ is monotone with respect to $>$.

Theorem

Let $\mathcal{R}, \mathcal{R}'$ be TRSs over a signature Σ , $(A, [\cdot], >, \gtrsim)$ be an extended weakly monotone Σ -algebra such that:

- $[\ell, \alpha] \gtrsim [r, \alpha]$ for every rule $\ell \rightarrow r$ in \mathcal{R} , for all $\alpha : \mathcal{X} \rightarrow A$ and
- $[\ell, \alpha] > [r, \alpha]$ for every rule $\ell \rightarrow r$ in \mathcal{R}' and for all $\alpha : \mathcal{X} \rightarrow A$.

Then $\text{SN}(\mathcal{R})$ implies $\text{SN}(\mathcal{R} \cup \mathcal{R}')$.

- **Monotone algebras are formalized as a functor.**
- Apart for the aforementioned requirements there is one additional required to deal with concrete examples: $>_{\mathcal{T}}$ and $\gtrsim_{\mathcal{T}}$ must be decidable.
- More precisely the requirement is to provide a relation \gg , such that
 - $\gg \subseteq >_{\mathcal{T}}$ and
 - \gg is decidable
 - similarly for \gtrsim .
- The structure returned by the functor contains all the machinery required to prove (relative)-(top)-termination in Coq.

Formalization of monotone algebras

- Monotone algebras are formalized as a functor.
- Apart for the aforementioned requirements there is one additional required to deal with concrete examples: $>_{\mathcal{T}}$ and $\gtrsim_{\mathcal{T}}$ must be decidable.
- More precisely the requirement is to provide a relation \gg , such that
 - $\gg \subseteq >_{\mathcal{T}}$ and
 - \gg is decidable
 - similarly for \gtrsim .
- The structure returned by the functor contains all the machinery required to prove (relative)-(top)-termination in Coq.

- Monotone algebras are formalized as a functor.
- Apart for the aforementioned requirements there is one additional required to deal with concrete examples: $>_{\mathcal{T}}$ and $\gtrsim_{\mathcal{T}}$ must be decidable.
- More precisely the requirement is to provide a relation \gg , such that
 - $\gg \subseteq >_{\mathcal{T}}$ and
 - \gg is decidable
 - similarly for \gtrsim .
- The structure returned by the functor contains all the machinery required to prove (relative)-(top)-termination in Coq.

- Monotone algebras are formalized as a functor.
- Apart for the aforementioned requirements there is one additional required to deal with concrete examples: $>_{\mathcal{T}}$ and $\gtrsim_{\mathcal{T}}$ must be decidable.
- More precisely the requirement is to provide a relation \gg , such that
 - $\gg \subseteq >_{\mathcal{T}}$ and
 - \gg is decidable
 - similarly for \gtrsim .
- The structure returned by the functor contains all the machinery required to prove (relative)-(top)-termination in Coq.

- **Matrices over arbitrary semi-ring of coefficients.**
- a number of basic operations over matrices such as:

$$[\cdot], \quad M_{i,j}, \quad M + N, \quad M * N, \quad M^T, \dots$$

- and a number of basic properties such as:
 - $M + N = N + M$,
 - $M * (N * P) = (M * N) * P$
 - monotonicity of $*$
 -

Formalization of matrices

- Matrices over arbitrary semi-ring of coefficients.
- a number of basic operations over matrices such as:

$$[\cdot], \quad M_{i,j}, \quad M + N, \quad M * N, \quad M^T, \dots$$

- and a number of basic properties such as:
 - $M + N = N + M$,
 - $M * (N * P) = (M * N) * P$
 - monotonicity of $*$
 -

- Matrices over arbitrary semi-ring of coefficients.
- a number of basic operations over matrices such as:

$$[\cdot], \quad M_{i,j}, \quad M + N, \quad M * N, \quad M^T, \dots$$

- and a number of basic properties such as:
 - $M + N = N + M$,
 - $M * (N * P) = (M * N) * P$
 - monotonicity of $*$
 - ...

Polynomial interpretations in the setting of monotone algebras

- $A = \mathbb{Z}$,
- $> = >_{\mathbb{Z}}$, $\gtrsim = \geq_{\mathbb{Z}}$,
- interpretations represented by polynomials
 $[f(x_1, \dots, x_n)] = P_{\mathbb{Z}}(x_1, \dots, x_n)$,
- $>_{\mathcal{T}}$ not decidable (positiveness of polynomial) — heuristics required.

Polynomial interpretations in the setting of monotone algebras

- $A = \mathbb{Z}$,
- $> = >_{\mathbb{Z}}$, $\gtrsim = \gtrsim_{\mathbb{Z}}$,
- interpretations represented by polynomials
 $[f(x_1, \dots, x_n)] = P_{\mathbb{Z}}(x_1, \dots, x_n)$,
- $>_{\mathcal{T}}$ not decidable (positiveness of polynomial) — heuristics required.

Polynomial interpretations in the setting of monotone algebras

- $A = \mathbb{Z}$,
- $> = >_{\mathbb{Z}}$, $\gtrsim = \geq_{\mathbb{Z}}$,
- **interpretations represented by polynomials**
 $[f(x_1, \dots, x_n)] = P_{\mathbb{Z}}(x_1, \dots, x_n)$,
- $>_{\mathcal{T}}$ not decidable (positiveness of polynomial) — heuristics required.

Polynomial interpretations in the setting of monotone algebras

- $A = \mathbb{Z}$,
- $> = >_{\mathbb{Z}}$, $\gtrsim = \geq_{\mathbb{Z}}$,
- interpretations represented by polynomials
 $[f(x_1, \dots, x_n)] = P_{\mathbb{Z}}(x_1, \dots, x_n)$,
- $>_{\mathcal{T}}$ not decidable (positiveness of polynomial) — heuristics required.

Matrix interpretations in the setting of monotone algebras

- **fix a dimension d ,**
- $A = \mathbb{N}^d$,
- $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d)$ iff $\forall i, u_i \geq_{\mathbb{N}} v_i$,
- $(u_1, \dots, u_d) > (v_1, \dots, v_d)$ iff $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d) \wedge u_1 >_{\mathbb{N}} v_1$,
- interpretations represented as:
 $[f(x_1, \dots, x_n)] = M_1 x_1 + \dots + M_n x_n + v$
where $M_i \in \mathbb{N}^{d \times d}$, $v \in \mathbb{N}^d$,
- $>_{\mathcal{T}}$ and $\succeq_{\mathcal{T}}$ are decidable in this case but thanks to introducing \gg we do not need to prove completeness of their characterization.
- Domain fixed to \mathbb{N} with natural orders $>$ and \geq .

Matrix interpretations in the setting of monotone algebras

- fix a dimension d ,
- $A = \mathbb{N}^d$,
- $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d)$ iff $\forall i, u_i \geq_{\mathbb{N}} v_i$,
- $(u_1, \dots, u_d) > (v_1, \dots, v_d)$ iff $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d) \wedge u_1 >_{\mathbb{N}} v_1$,
- interpretations represented as:
 $[f(x_1, \dots, x_n)] = M_1 x_1 + \dots + M_n x_n + v$
where $M_i \in \mathbb{N}^{d \times d}$, $v \in \mathbb{N}^d$,
- $>_{\mathcal{T}}$ and $\succeq_{\mathcal{T}}$ are decidable in this case but thanks to introducing \gg we do not need to prove completeness of their characterization.
- Domain fixed to \mathbb{N} with natural orders $>$ and \geq .

Matrix interpretations in the setting of monotone algebras

- fix a dimension d ,
- $A = \mathbb{N}^d$,
- $(u_1, \dots, u_d) \succsim (v_1, \dots, v_d)$ iff $\forall i, u_i \geq_{\mathbb{N}} v_i$,
- $(u_1, \dots, u_d) > (v_1, \dots, v_d)$ iff $(u_1, \dots, u_d) \succsim (v_1, \dots, v_d) \wedge u_1 >_{\mathbb{N}} v_1$,
- interpretations represented as:
 $[f(x_1, \dots, x_n)] = M_1 x_1 + \dots + M_n x_n + v$
where $M_i \in \mathbb{N}^{d \times d}$, $v \in \mathbb{N}^d$,
- $>_{\mathcal{T}}$ and $\succsim_{\mathcal{T}}$ are decidable in this case but thanks to introducing \gg we do not need to prove completeness of their characterization.
- Domain fixed to \mathbb{N} with natural orders $>$ and \geq .

Matrix interpretations in the setting of monotone algebras

- fix a dimension d ,
- $A = \mathbb{N}^d$,
- $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d)$ iff $\forall i, u_i \geq_{\mathbb{N}} v_i$,
- $(u_1, \dots, u_d) > (v_1, \dots, v_d)$ iff $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d) \wedge u_1 >_{\mathbb{N}} v_1$,
- interpretations represented as:
 $[f(x_1, \dots, x_n)] = M_1 x_1 + \dots + M_n x_n + v$
where $M_i \in \mathbb{N}^{d \times d}$, $v \in \mathbb{N}^d$,
- $>_{\mathcal{T}}$ and $\succeq_{\mathcal{T}}$ are decidable in this case but thanks to introducing \gg we do not need to prove completeness of their characterization.
- Domain fixed to \mathbb{N} with natural orders $>$ and \geq .

Matrix interpretations in the setting of monotone algebras

- fix a dimension d ,
- $A = \mathbb{N}^d$,
- $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d)$ iff $\forall i, u_i \geq_{\mathbb{N}} v_i$,
- $(u_1, \dots, u_d) > (v_1, \dots, v_d)$ iff $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d) \wedge u_1 >_{\mathbb{N}} v_1$,
- **interpretations represented as:**
 $[f(x_1, \dots, x_n)] = M_1 x_1 + \dots + M_n x_n + v$
where $M_i \in \mathbb{N}^{d \times d}$, $v \in \mathbb{N}^d$,
- $>_{\mathcal{T}}$ and $\succeq_{\mathcal{T}}$ are decidable in this case but thanks to introducing \gg we do not need to prove completeness of their characterization.
- Domain fixed to \mathbb{N} with natural orders $>$ and \geq .

Matrix interpretations in the setting of monotone algebras

- fix a dimension d ,
- $A = \mathbb{N}^d$,
- $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d)$ iff $\forall i, u_i \geq_{\mathbb{N}} v_i$,
- $(u_1, \dots, u_d) > (v_1, \dots, v_d)$ iff $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d) \wedge u_1 >_{\mathbb{N}} v_1$,
- interpretations represented as:
 $[f(x_1, \dots, x_n)] = M_1 x_1 + \dots + M_n x_n + v$
where $M_i \in \mathbb{N}^{d \times d}$, $v \in \mathbb{N}^d$,
- $>_{\mathcal{T}}$ and $\succeq_{\mathcal{T}}$ are decidable in this case but thanks to introducing \gg we do not need to prove completeness of their characterization.
- Domain fixed to \mathbb{N} with natural orders $>$ and \geq .

Matrix interpretations in the setting of monotone algebras

- fix a dimension d ,
- $A = \mathbb{N}^d$,
- $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d)$ iff $\forall i, u_i \geq_{\mathbb{N}} v_i$,
- $(u_1, \dots, u_d) > (v_1, \dots, v_d)$ iff $(u_1, \dots, u_d) \succeq (v_1, \dots, v_d) \wedge u_1 >_{\mathbb{N}} v_1$,
- interpretations represented as:
 $[f(x_1, \dots, x_n)] = M_1 x_1 + \dots + M_n x_n + v$
where $M_i \in \mathbb{N}^{d \times d}$, $v \in \mathbb{N}^d$,
- $>_{\mathcal{T}}$ and $\succeq_{\mathcal{T}}$ are decidable in this case but thanks to introducing \gg we do not need to prove completeness of their characterization.
- Domain fixed to \mathbb{N} with natural orders $>$ and \geq .

1 CoLoR

2 Formalization of matrix interpretations

- Introduction to matrix interpretations
- Monotone algebras
- Matrices
- Matrix interpretations

3 Certified competition

- In the termination competition this year a new “certified” category was introduced.
- Participants:
 - CIME+ A3PAT (polynomial interpretations, LPO, DP)
 - TPA+ CoLoR (polynomial and matrix interpretations, DP)
 - T_1T_2 + CoLoR (matrix interpretations, DP)
- TPA+ CoLoR was the winner with the score of 354.
- Every successful proof of TPA was using matrix interpretations.

- In the termination competition this year a new “certified” category was introduced.
- **Participants:**
 - CiME+ A3PAT (polynomial interpretations, LPO, DP)
 - TPA+ CoLoR (polynomial and matrix interpretations, DP)
 - $T_T T_2$ + CoLoR (matrix interpretations, DP)
- TPA+ CoLoR was the winner with the score of 354.
- Every successful proof of TPA was using matrix interpretations.

- In the termination competition this year a new “certified” category was introduced.
- Participants:
 - CiME+ A3PAT (polynomial interpretations, LPO, DP)
 - TPA+ CoLoR (polynomial and matrix interpretations, DP)
 - $T_T T_2$ + CoLoR (matrix interpretations, DP)
- TPA+ CoLoR was the winner with the score of 354.
- Every successful proof of TPA was using matrix interpretations.

- In the termination competition this year a new “certified” category was introduced.
- Participants:
 - CiME+ A3PAT (polynomial interpretations, LPO, DP)
 - TPA+ CoLoR (polynomial and matrix interpretations, DP)
 - $T_T T_2$ + CoLoR (matrix interpretations, DP)
- TPA+ CoLoR was the winner with the score of 354.
- Every successful proof of TPA was using matrix interpretations.

<http://color.loria.fr>



Thank you for your attention.